

SAN PASQUAL UNION SCHOOL DISTRICT
2016-2017 CONCUSSION INFORMATION SHEET
(Applicable only for the Current School Year)

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, **all concussions are potentially serious and may result in complication including prolonged brain damage and death if not recognized and managed properly**. In other words, even a “ding” or a bump on the head can be serious. You can’t see a concussion and most sports concussions occur without the loss of consciousness. Signs and symptoms of a concussion may show up right after the injury and can take hours or days to fully appear. If your child reports any symptoms of concussion, or if you notice the symptoms or signs of a concussion yourself, seek medical attention right away.

Signs and symptoms of a concussion may include one or more of the following:

Headaches	Amnesia
Pressure in the head	Slurred speech
Nausea and vomiting.....	Fatigue or low energy
Neck pain	Loss of consciousness
Balance problems or dizziness.....	Nervousness or anxiety
Blurred, double, or fuzzy vision	Irritability
Sensitivity to light or noise	Ringing in the ears
Feeling sluggish or slow	Confusion
Feeling foggy or groggy	Concentration or memory problems
Drowsiness.....	Change in sleep pattern
Sadness/More emotional	Repeating the same comment/question
Seizures/convulsions	Shows behavior or personality changes

What can happen if my child keeps on playing with a concussion or returns to school?

Athletes with the signs and symptoms of a concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if they athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even the severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athletes will often under report symptoms of injuries. Concussions are no different. As a result, education of administrators, coaches, parents and students is the key for student/athlete safety.

If you think your child has suffered a concussion

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear, without medical

clearance. Close observation of the athlete should continue for several hours. The new CIF Bylaw 313 now requires implementation of long and well-established return to play concussion guidelines that have been recommended for several years:

“A student athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time and for the remainder of the day”

and

“A student-athlete who has been removed may not return to play until the athlete is evaluated by a licensed health care provider trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider.”

You should also inform your child’s coach if you think that your child may have a concussion. Remember it’s better to miss one game than miss the whole season. When in doubt, the athlete sits out.

For current and up-to-date information on concussions you can go to:
www.cdc.gov/concussionsinyouthsports.com

Adapted from the CDC and the 3rd International Conference on Concussion in Sport Documents created 05/20/10.